



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received during Week ended Mar. 15, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Wyoming—Continued.				
Counties—Continued.				
Albany.....	Feb. 1-29.....	2	
Carbon.....	do.....	3	
Fremont.....	do.....	8	1	
Laramie.....	do.....	3	
Sweetwater.....	do.....	6	
Uinta.....	do.....	15	
Total for State.....		37	1	
Grand total for the United States.....		943	4	

For reports received from July 1 to December 29, see Public Health Reports for December 29, 1911. The cumulative table of reported cases of smallpox, heretofore published each week, has been discontinued, and in its place summaries will be published periodically.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED FEB. 24, 1912.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having over 500,000 inhabitants.</i>														
Baltimore, Md.....	558,485	219	12	2	11	17	1	37	38	6	2			
Boston, Mass.....	670,585	255	43	1	147	1	24	66	25	3	1			
Chicago, Ill.....	2,185,283	749	100	10	98	2	190	12	220	27	18	1		
Cleveland, Ohio.....	560,663	166	24	3	43	1	42	1	25	12	2			
New York, N. Y.....	4,766,883	1,635	338	25	1,289	18	387	18	479	226	26	8		
Philadelphia, Pa.....	1,549,008	546	73	7	11	55	1	70	54	24	5			
Pittsburgh, Pa.....	533,905	187	19	4	11	1	17	1						
St. Louis, Mo.....	687,029	238	20	3	18	29	4	1	48	22	3			
<i>Cities having from 300,000 to 500,000 inhabitants.</i>														
Buffalo, N. Y.....	423,715	89	23	1	40	26		21	9					
Cincinnati, Ohio.....	364,463	185	6		6	26	3	1	47	30	1			
Detroit, Mich.....	465,766	167	18			27								
Los Angeles, Cal.....	319,198	113	18		4	17	1	2	13	20	3			
Milwaukee, Wis.....	373,857	119	11	4	31	41	1		18	8	21	3		
Newark, N. J.....	347,469	98	21	1		23			26	14				
New Orleans, La.....	339,075	183	5	2	4	10		6	26	22	2	2		
San Francisco, Cal.....	416,912	150	1		253	3	3		13	14	4	1		
Washington, D. C.....	331,069	134	9		3	7			31	11	2			
<i>Cities having from 200,000 to 300,000 inhabitants.</i>														
Jersey City, N. J.....	267,779	76								9				
Kansas City, Mo.....	248,381	43	7		6	7		3	8	15	3	1		
Providence, R. I.....	224,326	74	19	8	13	9	1		5	1				
Seattle, Wash.....	237,194	32	5		11				3	2	5			
<i>Cities having from 100,000 to 200,000 inhabitants.</i>														
Bridgeport, Conn.....	102,054	33	5	1	3	9			6					
Cambridge, Mass.....	104,839	30	7	1	2	6			4	2	1	1		
Columbus, Ohio.....	181,548	71	3	1	46	1	18		7	7	1	1		
Dayton, Ohio.....	116,577	40			1	2		2		5	1	1	3	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Feb. 24, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 100,000 to 200,000 inhabitants—Con.														
Fall River, Mass.	119,295	44	5	1	3		3				2	7		1
Grand Rapids, Mich.	112,571	33					4				4	4	4	
Lowell, Mass.	106,294	41	2		27	1	3				4	1		
Nashville, Tenn.	110,364	41					2				4	3	2	
Oakland, Cal.	150,174	43	8		1		3				1	4		
Omaha, Nebr.	124,096	25	2				2					1		
Richmond, Va.	127,628	44	5		14						7	2		
Spokane, Wash.	104,402		1		10		3		13			2	2	
Toledo, Ohio.	168,497	66	3		11		4		1			5	1	1
Worcester, Mass.	145,986	51	10	1			8				7	1		
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	26	2									2		
Bayonne, N. J.	55,545	17	1		1		4	1			2	3		
Brockton, Mass.	56,878	18			76		1				1	1		
Camden, N. J.	94,538	12	1				3				5		3	
Duluth, Minn.	78,466	14					5		2		2	2		1
Elizabeth, N. J.	73,409	32	5	2	2	2	7				1	2	1	1
Erie, Pa.	66,525	17	6								6		3	
Evansville, Ind.	69,647	16	4								2	4	6	2
Fort Wayne, Ind.	63,933	17	2		3							1		
Harrisburg, Pa.	64,186	28	4		23		1				1	3	2	2
Hartford, Conn.	98,915		7	1			4				7	3		
Hoboken, N. J.	70,324	9	2		1		4				2			
Johnstown, Pa.	55,482	22	2				3					2		
Kansas City, Kans.	82,331		1		1		1		2		5		9	
Lawrence, Mass.	85,892	20	2	1			7					1	2	
Lynn, Mass.	89,336	31	1		3		6	1			6		1	
Manchester, N. H.	70,063	26	8	1					4		2	2		
New Bedford, Mass.	96,652	32			22		6				10	3	4	
Oklahoma City, Okla.	64,205	21	1				1				2	3		
Passaic, N. J.	54,773	22	1		4		1				2	3		
Pawtucket, R. I.	51,622											2		
Reading, Pa.	96,071	27	9		3		2				2	2		
Saginaw, Mich.	50,510		4	1			2						6	1
San Antonio, Tex.	96,614	40			30		3					7	1	
Schenectady, N. Y.	72,826	16	1		14		2				7	2		
South Bend, Ind.	53,684	20							1			2	3	
Springfield, Ill.	51,678	27	5				1		1			2		1
Springfield, Mass.	88,926	29	2		23		3				2	2	1	
Trenton, N. J.	96,815	36	1				5				7	5	1	1
Wilkes-Barre, Pa.	67,105	26	2	1	21		2				7	1		
Yonkers, N. Y.	79,803	17	3		10		10				3	3		
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	4	1											
Aurora, Ill.	29,807	9	1				4							
Binghamton, N. Y.	48,443	20			1		2					1		
Brookline, Mass.	27,792	6	1		1		1				1			
Butte, Mont.	39,165	12			1		3				1			
Chattanooga, Tenn.	44,604						2	1			2			
Chelsea, Mass.	32,452	18	1		4		1				1			
Chicopee, Mass.	25,401	5			1						2	1		
Danville, Ill.	27,871	4										1		
East Orange, N. J.	34,371	6					2				1			
Elmira, N. Y.	37,176	9	2	1										
El Paso, Tex.	39,279	31							4	2		3		
Everett, Mass.	33,484	15	2				2				1			
Fitchburg, Mass.	37,826	11	1								1	2		
Haverhill, Mass.	44,115	17	3		13						3		1	
Kalamazoo, Mich.	39,437	23					11	2			2	1	1	1
Knoxville, Tenn.	36,346	11			2				11		2	2		
La Crosse, Wis.	30,417	3	2				1							
Lancaster, Pa.	47,227		1		11		1						1	
Lexington, Ky.	35,099	16			3		3				2	2		
Lima, Ohio.	30,508	8	2		1							1		

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Feb. 24, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Con.														
Lynchburg, Va.	29,494	13	2		25		2				1	1		
Montgomery, Ala.	38,136	16	2		21		1		1		2	2	1	
Mount Vernon, N. Y.	30,919				28				1		1			
Newcastle, Pa.	36,280		7				1				1		8	
Newport, Ky.	30,309	11	3				3				1	1	1	1
Newton, Mass.	39,806	11	1		16		2				2		1	
Niagara Falls, N. Y.	30,445	12	3				2					1	9	
Norristown, Pa.	27,875	9	2		57	2	1					2		
Orange, N. J.	29,630	10	1	1	3		5							
Pasadena, Cal.	30,291	13	2								1	2		
Pittsfield, Mass.	32,121	9	3								1	1		
Portsmouth, Va.	33,190	7	3		1				2					
Racine, Wis.	38,002	10	7											
Roanoke, Va.	34,874	6	1		28									
Rockford, Ill.	45,401	15					1					2	170	3
Salem, Mass.	43,697	13					1							
San Diego, Cal.	39,578		1		2		1				6	6		
South Omaha, Nebr.	26,259	7	1											
Superior, Wis.	40,384	6							2					
Taunton, Mass.	34,259	15			3						1			
Waltham, Mass.	27,834	11	2		9								1	
West Hoboken, N. J.	35,403	9	3		2		1				1	2		
Wheeling, W. Va.	41,641	9	2				1				1	1	1	
Williamsport, Pa.	31,860	7					4				1	2		
Wilmington, N. C.	25,748	14			5		1		3		2	3	1	
York, Pa.	44,750				1		2				2			
Zanesville, Ohio.	28,026	9	1									4	3	1
Cities having less than 25,000 inhabitants.														
Alameda, Cal.	23,383	7			1						2			
Ann Arbor, Mich.	14,817	7												
Beaver Falls, N. Y.	12,191	0					3							
Bennington, Vt.		6					2							
Braddock, Pa.	19,957											1		
Butler, Pa.	20,782	10	1								1			
Cambridge, Ohio.	11,327	3			4		1							
Camden, S. C.		1										1		
Carbondale, Pa.	17,040	7					2							
Clinton, Mass.	13,075	5					1				1	2		
Columbus, Ga.	20,544	7												
Columbus, Ind.		0							1					
Concord, N. H.	21,497	13			2							1		
Cumberland, Md.	21,839	8	3		1		1				4		4	
Dunkirk, N. Y.		4												
Gloucester, Mass.	24,398	12										2		
Harrison, N. J.	14,498	3												
Kearny, N. J.	18,659	8	1		6		1		2					
La Fayette, Ind.	20,081	7			4									
Lebanon, Pa.	19,240						1							
Logansport, Ind.	19,050	8										1		
Manistee, Mich.							7							
Marinette, Wis.	14,610	5			2									
Marlboro, Mass.	14,579	7	2											
Massillon, Ohio.							1							
Medford, Mass.	23,150	15			4		1				1			
Melrose, Mass.	15,715	4			15	1	1							
Moline, Ill.	24,199	6	1									2	1	
Montclair, N. J.	21,150	6					2				1			
Morristown, N. J.	12,507	4										1		
Nanticoke, Pa.	18,507	9			9						3			
Newburyport, Mass.	19,240	7	1								1			
North Adams, Mass.	22,012	1	1		3									
Northampton, Mass.	19,431	12					1				3			
Ottumwa, Iowa.	22,012	13					1							
Palmer, Mass.		7												
Peeckskill, N. Y.		3	1											
Plainfield, N. J.	22,050				38						2			

¹ Epidemic.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Feb. 24, 1912—Continued.

Cities.	Popula- tion, United States census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Continued.</i>														
Pottstown, Pa.		4			2									
Saratoga Springs, N. Y.		3											1	
South Bethlehem, Pa.	19,973	6	1		3							1		
Steelton, Pa.	14,246	9	3						1		2	1		
Warren, Pa.	11,081	3	2		1									
Wilksburg, Pa.	18,924	7			1		3				3		1	
Woburn, Mass.	15,308	7			7									

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Un tabulated).

CALIFORNIA.—Month of September, 1911. Population, 2,377,549. Total number of deaths from all causes 2,532, including diphtheria 11, measles 4, scarlet fever 3, tuberculosis 373, typhoid fever 45. Cases reported: Diphtheria 60, measles 232, plague 1, scarlet fever 69, smallpox 19, tuberculosis, pulmonary, 217, typhoid fever 120.

MASSACHUSETTS.—Week ended December 2, 1911. Population of reporting towns, 2,593,485. Total number of deaths from all causes 675, including diphtheria 4, measles 2, scarlet fever 3, tuberculosis 62, typhoid fever 5. Cases reported: Diphtheria 136, measles 180, scarlet fever 114, tuberculosis 99, typhoid fever 38.

Week ended December 9, 1911. Total number of deaths from all causes 713, including diphtheria 13, scarlet fever 2, smallpox 2, tuberculosis 64, typhoid fever 6. Cases reported: Diphtheria 142, measles 202, scarlet fever 126, tuberculosis 133, typhoid fever 30.

Week ended December 16, 1911. Total number of deaths from all causes 708, including diphtheria 10, measles 4, tuberculosis 76, typhoid fever 7. Cases reported: Diphtheria 139, measles 309, scarlet fever 154, tuberculosis 146, typhoid fever 30.

Week ended December 23, 1911. Total number of deaths from all causes 670, including diphtheria 10, measles 3, scarlet fever 3, tuberculosis 66, typhoid fever 6. Cases reported: Diphtheria 143, measles 251, scarlet fever 109, smallpox 2, tuberculosis 130, typhoid fever 27.

Week ended December 30, 1911. Total number of deaths from all causes 803, including diphtheria 9, measles 3, scarlet fever 2, tuberculosis 66, typhoid fever 3. Cases reported: Diphtheria 164, measles 251, scarlet fever 110, tuberculosis 116, typhoid fever 22.

NEW JERSEY.—Four weeks ended February 10, 1912. Population, 2,537,167. Total number of deaths from all causes 3,696, including diphtheria 61, measles 14, scarlet fever 16, tuberculosis 424, typhoid fever 28.